

# **Dynamic Partial Order Reduction under the Release-Acquire Semantics**

**Parosh Aziz Abdulla  
Mohamed Faouzi Atig  
Bengt Jonsson  
Tuan Phong Ngo**

# **Dynamic Partial Order Reduction under the Release-Acquire Semantics**

**Parosh Aziz Abdulla  
Mohamed Faouzi Atig  
Bengt Jonsson  
Tuan Phong Ngo**


**OOPSLA'2018**

# Outline

- **SC (Sequential Consistency) Semantics**
  - **Runs and Traces**
- **Dynamic Partial-Order Reduction (DPOR)**
- **Release-Acquire Semantics**
- **Experiments**
- **Conclusions**

# Concurrent Programs (under SC)


Initially  $x = 0$



- Threads
  - Concurrent
  - Loop-Free
  - Deterministic
- Shared Variables: **x,y**
- Local Variables: **a,b,c,d**
- Interleaving Semantics

# Concurrent Programs (under SC)

Initially  $x = 0$





$\pi : \text{run}$

- Threads
  - Concurrent
  - Loop-Free
  - Deterministic
- Shared Variables:  $x, y$
- Local Variables:  $a, b, c, d$
- Interleaving Semantics

# Concurrent Programs (under SC)



Initially  $x = 0$



- **Threads**
  - Concurrent
  - Loop-Free
  - Deterministic
- **Shared Variables:**  $x, y$
- **Local Variables:**  $a, b, c, d$
- **Interleaving Semantics**

# Concurrent Programs (under SC)



Initially  $x = 0$



- Threads
  - Concurrent
  - Loop-Free
  - Deterministic
- Shared Variables: **x,y**
- Local Variables: **a,b,c,d**
- Interleaving Semantics

# Concurrent Programs (under SC)



Initially  $x = 0$



- Threads
  - Concurrent
  - Loop-Free
  - Deterministic
- Shared Variables: **x,y**
- Local Variables: **a,b,c,d**
- Interleaving Semantics

# Concurrent Programs (under SC)



Initially  $x = 0$



- Threads
  - Concurrent
  - Loop-Free
  - Deterministic
- Shared Variables: **x,y**
- Local Variables: **a,b,c,d**
- Interleaving Semantics

# Concurrent Programs (under SC)



Initially  $x = 0$



- Threads
  - Concurrent
  - Loop-Free
  - Deterministic
- Shared Variables: **x,y**
- Local Variables: **a,b,c,d**
- Interleaving Semantics

# Concurrent Programs (under SC)

Initially  $x = 0$




- execute instructions of one thread in **program-order**
- interleave instructions of different threads
- **read-from** the latest write


- Threads
  - Concurrent
  - Loop-Free
  - Deterministic
- Shared Variables: **x,y**
- Local Variables: **a,b,c,d**
- Interleaving Semantics

# Concurrent Programs (under SC)

Initially  $x = 0$



$(a = 1) \wedge (b = 2)?$




assertion

- execute instructions of one thread in **program-order**
- interleave instructions of different threads
- **read-from** the latest write


- Threads
  - Concurrent
  - Loop-Free
  - Deterministic
- Shared Variables: **x,y**
- Local Variables: **a,b,c,d**
- Interleaving Semantics

# Concurrent Programs (under SC)

Initially  $x = 0$



events




- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models


$\tau : \text{trace}$

# Concurrent Programs (under SC)

Initially  $x = 0$



events




- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models

$\tau : \text{trace}$


$x := 1$

# Concurrent Programs (under SC)

Initially  $x = 0$



events



- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models


$\tau : \text{trace}$

$x := 1$


$a := 1$

# Concurrent Programs (under SC)

Initially  $x = 0$




events




- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models

$\tau : \text{trace}$




# Concurrent Programs (under SC)

Initially  $x = 0$




events




- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models

$\tau : \text{trace}$




# Concurrent Programs (under SC)

Initially  $x = 0$




events



- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models


- po: program order

$\tau : \text{trace}$




# Concurrent Programs (under SC)

Initially  $x = 0$




events



- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models



- po: program order
- rf: read-from

$\tau : \text{trace}$



# Concurrent Programs (under SC)


Initially  $x = 0$



- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models


- po: program order
- rf: read-from
- co: coherence order

$\tau : \text{trace}$




# Concurrent Programs (under SC)

Initially  $x = 0$




events



- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models

- po: program order
- rf: read-from
- co: coherence order

$\tau : \text{trace}$




$$\text{co} = \bigcup_{x \in X} \text{co}^x$$


total

# Concurrent Programs (under SC)

Initially  $x = 0$




events



- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models

- po: program order
- rf: read-from
- co: coherence order
- fr: from-read

$\tau$  : trace




$$co = \bigcup_{x \in X} co^x$$


total

# Concurrent Programs (under SC)

Initially  $x = 0$




events



- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models

- po: program order
- rf: read-from
- co: coherence order
- fr: from-read

$\tau : \text{trace}$




SC:  $\text{acyclic}(\text{po} \cup \text{rf} \cup \text{co} \cup \text{fr})$

$$\text{co} = \bigcup_{x \in X} \text{co}^x$$


total

# Concurrent Programs (under SC)

Initially  $x = 0$




events



- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models

- po: program order
- rf: read-from
- co: coherence order
- fr: from-read

$τ : trace$



SC:  $acyclic(po \cup rf \cup co \cup fr)$


$$co = \bigcup_{x \in X} co^x$$

total


$τ \models SC$

# Concurrent Programs (under SC)

Initially  $x = 0$




events



- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allow different memory models

- po: program order
- rf: read-from
- co: coherence order
- fr: from-read

$\tau$  : trace



SC:  $acyclic(po \cup rf \cup co \cup fr)$

$$co = \bigcup_{x \in X} co^x$$


total

$\tau \models SC$


$\pi \models \tau$

# Concurrent Programs (under SC)

Initially  $x = 0$




$(a = 1) \wedge (b = 2) ?$



assertion

- po: program order
- rf: read-from
- co: coherence order
- fr: from-read

$\tau : \text{trace}$



SC:  $\text{acyclic}(\text{po} \cup \text{rf} \cup \text{co} \cup \text{fr})$

$$\text{co} = \bigcup_{x \in X} \text{co}^x$$

total

$\tau \models \text{SC}$

$\pi \models \tau$

# Concurrent Programs (under SC)

Initially  $x = 0$

$th_1$

$x := 1$

$a := x$

$th_2$

$x := 2$

$b := x$

$\pi_1$

$x := 1$

$x := 2$

$b := 2$

$a := 2$

$\pi_2$

$x := 1$

$x := 2$

$a := 2$


$b := 2$

- Traces

- efficient:
  - more compact than runs
  - sufficient for checking assertions
- abstract:
  - allows different memory models

- po: program order
- rf: read-from
- co: coherence order
- fr: from-read

$\tau$



# Concurrent Programs (under SC)

Initially  $x = 0$

$th_1$        $th_2$

```
x := 1
a := x
```


$\pi_1$        $\pi_2$

```
x := 1
x := 2
b := 2
a := 2
```

```
x := 1
x := 2
a := 2
b := 2
```

- Traces
  - efficient:
    - more compact than runs
    - sufficient for checking assertions
  - abstract:
    - allows different memory models

- $\tau$
- po: program order
  - rf: read-from
  - co: coherence order
  - fr: from-read




$$\pi_1 \models \tau$$

$$\pi_2 \models \tau$$

# DPOR: Dynamic Partial Order Reduction


Initially  $x = 0$



(optimal)  
DPOR

# DPOR: Dynamic Partial Order Reduction

Initially  $x = 0$





*Prog*



(optimal)  
DPOR


# DPOR: Dynamic Partial Order Reduction

Initially  $x = 0$




$x := 1$   
 $x := 2$   
 $a := 2$   
 $b := 2$

$x := 1$   
 $x := 2$   
 $b := 2$   
 $a := 2$




$x := 2$   
 $x := 1$   
 $b := 1$   
 $a := 1$


$x := 2$   
 $x := 1$   
 $a := 1$   
 $b := 1$



$x := 1$   
 $a := 1$   
 $x := 2$   
 $b := 2$




$x := 2$   
 $b := 2$   
 $x := 1$   
 $a := 1$



(optimal)  
DPOR


$x := 1$   
 $x := 2$   
 $a := 2$   
 $b := 2$

$x := 1$   
 $x := 2$   
 $b := 2$   
 $a := 2$




$x := 2$   
 $x := 1$   
 $b := 1$   
 $a := 1$


$x := 2$   
 $x := 1$   
 $a := 1$   
 $b := 1$



$x := 1$   
 $a := 1$   
 $x := 2$   
 $b := 2$




$x := 2$   
 $b := 2$   
 $x := 1$   
 $a := 1$



(optimal)  
DPOR


$x := 1$   
 $x := 2$   
 $a := 2$   
 $b := 2$

$x := 1$   
 $x := 2$   
 $b := 2$   
 $a := 2$




$x := 2$   
 $x := 1$   
 $b := 1$   
 $a := 1$


$x := 2$   
 $x := 1$   
 $a := 1$   
 $b := 1$



$x := 1$   
 $a := 1$   
 $x := 2$   
 $b := 2$




$x := 2$   
 $b := 2$   
 $x := 1$   
 $a := 1$



(optimal)  
DPOR


$x := 1$   
 $x := 2$   
 $a := 2$   
 $b := 2$

$x := 1$   
 $x := 2$   
 $b := 2$   
 $a := 2$




$x := 2$   
 $x := 1$   
 $b := 1$   
 $a := 1$

$x := 2$   
 $x := 1$   
 $a := 1$   
 $b := 1$




$x := 1$   
 $a := 1$   
 $x := 2$




Parosh Aziz Abdulla, Stavros Aronis, Bengt Jonsson, Konstantinos Sagonas:  
**Source Sets: A Foundation for Optimal Dynamic Partial Order Reduction.** J. ACM 64(4): 25:1-25:49 (2017)

(optimal)  
**DPOR**


$x := 2$   
 $b := 2$   
 $x := 1$   
 $a := 1$




$x := 1$   
 $x := 2$   
 $a := 2$   
 $b := 2$




$x := 2$   
 $x := 1$   
 $b := 1$   
 $a := 1$



$x := 1$   
 $a := 1$   
 $x := 2$   
 $b := 2$




$x := 2$   
 $b := 2$   
 $x := 1$   
 $a := 1$




(super-optimal)  
DPOR


$x := 1$   
 $x := 2$   
 $a := 2$   
 $b := 2$




$x := 2$   
 $x := 1$   
 $b := 1$   
 $a := 1$



$x := 1$   
 $a := 1$   
 $x := 2$   
 $b := 2$




$x := 2$   
 $b := 2$   
 $x := 1$   
 $a := 1$




(super-optimal)  
DPOR


$x := 1$   
 $x := 2$   
 $a := 2$   
 $b := 2$




$x := 2$   
 $x := 1$   
 $b := 1$   
 $a := 1$



$x := 1$   
 $a := 1$   
 $x := 2$   
 $b := 2$



$x := 2$   
 $b := 2$   
 $x := 1$   
 $a := 1$




(super-optimal)  
DPOR

$x := 1$

$x := 2$

$a := 2$

$b := 2$




$x := 2$

$x := 1$

$b := 1$

$a := 1$




$x := 1$

$a := 1$

$x := 2$

$b := 2$




(super-optimal)  
DPOR

$x := 1$

$x := 2$

$a := 2$

$b := 2$




$x := 2$

$x := 1$

$b := 1$

$a := 1$



$x := 1$

$a := 1$

$x := 2$

$b := 2$

$x := 1$

$a := 2$

$x := 2$

$b := 1$

$x := 1$

$a := 2$

$x := 2$

$b := 2$


(super-optimal)  
DPOR

$x := 1$

$x := 2$

$a := 2$

$b := 2$




$x := 2$

$x := 1$

$b := 1$

$a := 1$




$x := 1$


$a := 1$

$x := 2$


$b := 2$




$x := 1$   
 $x := 2$   
 $a := 2$   
 $b := 2$



$x := 2$   
 $x := 1$   
 $b := 1$   
 $a := 1$



$x := 1$   
 $a := 1$   
 $x := 2$   
 $b := 2$



$Prog$

(super-optimal)  
DPOR

only traces with  
different po and rf

- **SC**

- **Shared memory**
- **Processes: atomic read/write**
- **interleaving of the operations**
- **Simple and intuitive**
- **Too strong**

- SC

- Shared memory
- Processes: atomic read/write
- interleaving of the operations
- Simple and intuitive
- Too strong

- Weak memory models

- Efficient
- All levels of systems design
  - microprocessors: TSO, POWER, ARM
  - cache protocols
  - programming languages: C11, Java
  - geo-replicated systems: Amazon, Facebook
- Unexpected behaviours

- SC

- Shared memory
- Processes: atomic read/write
- interleaving of the operations
- Simple and intuitive
- Too strong

- Weak memory models

- Efficient
- All levels of systems design
  - microprocessors: TSO, POWER, ARM
  - cache protocols
  - programming languages: C11, Java
  - geo-replicated systems: Amazon, Facebook
- Unexpected behaviours

- SC

- Shared memory
- Processes: atomic read/write
- interleaving of the operations
- Simple and intuitive
- Too strong


- Weak memory models

- Efficient
- All levels of systems design
  - microprocessors: TSO, POWER, ARM
  - cache protocols
  - programming languages: C11, Java
  - geo-replicated systems: Amazon, Facebook
- Unexpected behaviours



Release-Acquire  
Semantics

# Release-Acquire (RA)




$\tau$

RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


```
a := x      || x := 1      || y := 1      || c := y  
b := x      || y := 2      || x := 2      || d := y
```



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)


$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)

$a := x$  ||  $x := 1$  ||  $y := 1$  ||  $c := y$   
 $b := x$  ||  $y := 2$  ||  $x := 2$  ||  $d := y$




RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)

$a := x \parallel x := 1 \parallel y := 1 \parallel c := y$

$b := x \parallel y := 2 \parallel x := 2 \parallel d := y$




RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Release-Acquire (RA)

$a := x \parallel x := 1 \parallel y := 1 \parallel c := y$

$b := x \parallel y := 2 \parallel x := 2 \parallel d := y$




RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$        $\tau \models \text{RA}$

# Release-Acquire (RA)

$a := x \parallel x := 1 \parallel y := 1 \parallel c := y$

$b := x \parallel y := 2 \parallel x := 2 \parallel d := y$




RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$        $\tau \models \text{RA}$

SC:  $\text{acyclic}(\text{po} \cup \text{rf} \cup \text{co} \cup \text{fr})$

# Release-Acquire (RA)

$a := x \parallel x := 1 \parallel y := 1 \parallel c := y$

$b := x \parallel y := 2 \parallel x := 2 \parallel d := y$




RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$        $\tau \models \text{RA}$

SC:  $\text{acyclic}(\text{po} \cup \text{rf} \cup \text{co} \cup \text{fr})$        $\tau \not\models \text{SC}$

# Release-Acquire (RA)

$a := x \parallel x := 1 \parallel y := 1 \parallel c := y$

$b := x \parallel y := 2 \parallel x := 2 \parallel d := y$




RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$        $\tau \models \text{RA}$

SC:  $\text{acyclic}(\text{po} \cup \text{rf} \cup \text{co} \cup \text{fr})$        $\tau \not\models \text{SC}$

# Release-Acquire (RA)

$a := x \parallel x := 1 \parallel y := 1 \parallel c := y$

$b := x \parallel y := 2 \parallel x := 2 \parallel d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$        $\tau \models \text{RA}$


SC:  $\text{acyclic}(\text{po} \cup \text{rf} \cup \text{co} \cup \text{fr})$        $\tau \not\models \text{SC}$

$(a = 2) \wedge (b = 1) \wedge (c = 2) \wedge (d = 1)?$

# Release-Acquire (RA)

$a := x \parallel x := 1 \parallel y := 1 \parallel c := y$

$b := x \parallel y := 2 \parallel x := 2 \parallel d := y$



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$        $\tau \models \text{RA}$

SC:  $\text{acyclic}(\text{po} \cup \text{rf} \cup \text{co} \cup \text{fr})$        $\tau \not\models \text{SC}$

$(a = 2) \wedge (b = 1) \wedge (c = 2) \wedge (d = 1)?$

# DPOR under the RA-semantics

- Sound
  - only valid traces
- Complete
  - all valid traces
- Optimal
  - different traces
- Deadlock-free

# DPOR under the RA-semantics

- Build **traces** one after one
- For a given trace  $\tau$ :
  - Build  $\tau$  incrementally
  - extend  $\tau$  by one event  $e$  at a time

- Sound
  - only valid traces
- Complete
  - all valid traces
- Optimal
  - different traces
- Deadlock-free

# DPOR under the RA-semantics

- Build **traces** one after one
- For a given trace  $\tau$ :
  - Build  $\tau$  incrementally
  - extend  $\tau$  by one event  $e$  at a time

# DPOR under the RA-semantics


- Build **traces** one after one
- For a given trace  $\tau$ :
  - Build  $\tau$  incrementally
  - extend  $\tau$  by one event  $e$  at a time

# DPOR under the RA-semantics

- Build **traces** one after one
- For a given trace  $\tau$ :
  - Build  $\tau$  incrementally
  - extend  $\tau$  by one event  $e$  at a time

$$\tau \oplus e$$


# Saturation



- Add **co-edges by demand**
- never generate two traces with identical **po** and **rf**

RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$


# Saturation



- Add **co-edges by demand**
- never generate two traces with identical **po** and **rf**

RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$


# Saturation



- Add **co-edges by demand**
- never generate two traces with identical **po** and **rf**

RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$


# Saturation



- Add **co-edges by demand**
- never generate two traces with identical **po** and **rf**

RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$



# Saturation



- Add **co-edges by demand**
- never generate two traces with identical **po** and **rf**



RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation




RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$

# Saturation




RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$



# Adding Events to Traces





# Adding Events to Traces





# Adding Events to Traces




# Adding Events to Traces




# Adding Events to Traces





# Adding Events to Traces



# Adding Events to Traces




# Adding Events to Traces



# Adding Events to Traces




RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$




# Adding Events to Traces




RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$




# Adding Events to Traces





RA:  $\forall x. \text{acyclic}(\text{po} \cup \text{rf} \cup \text{co}^x \cup \text{fr}^x)$




# Adding Events to Traces




# Adding Events to Traces




# Adding Events to Traces




# Adding Events to Traces




# Adding Events to Traces





# Adding Events to Traces




# Adding Events to Traces





# Adding Events to Traces





# Adding Events to Traces



# Adding Events to Traces






# Adding Events to Traces






saturated

still  
saturated

# Adding Events to Traces



# Adding Events to Traces



# DPOR under the RA-semantics

- Build **traces** one after one
- For a given trace  $\tau$ :
  - Build  $\tau$  incrementally
  - extend  $\tau$  by one event  $e$  at a time

# DPOR under the RA-semantics

- Build **traces** one after one
- For a given trace  $\tau$ :
  - Build  $\tau$  incrementally
  - extend  $\tau$  by one event  $e$  at a time

# DPOR under the RA-semantics

- Build **traces** one after one
- For a given trace  $\tau$  :
  - Build  $\tau$  incrementally
  - extend  $\tau$  by one event  $e$  at a time

*a* := *x*

*x* := 2

*b* := *y*

*x* := 3

*c* := *y*

*x* := 4

*a := x*

*x := 2*

*b := y*

*x := 3*

*c := y*

*x := 4*

*a := x* || *x := 2* || *b := y*  
*x := 3* || *c := y*  
*x := 4*

*x := 2*

*x* := 2

*a* := *x* || *x* := 2 || *b* := *y*  
|| *x* := 3 || *c* := *y*  
|| *x* := 4

*x* := 2

*x* := 2

*a* := *x*

*x* := 2

*b* := *y*

*x* := 3

*c* := *y*

*x* := 4

*x* := 2

*x* := 2

*a* := *x*

*x* := 2

*b* := *y*

*x* := 3

*c* := *y*

*x* := 4

*x* := 2

*x* := 2

*a* := *x*

*x* := 2

*b* := *y*

*x* := 3

*c* := *y*

*x* := 4

*x* := 2

*a* := 0

*a* := 2

*x* := 2

*a* := *x*    ||    *x* := 2    ||    *b* := *y*  
                                        ||    *x* := 3    ||    *c* := *y*  
                                        ||    *x* := 4

*x* := 2

*a* := 0

*a* := 2

read-  
branching

*x := 2*

*a := x*

*x := 2*

*b := y*

*x := 3*

*c := y*

*x := 4*

**schedule**

*x := 2*

*a := 0*

*a := 2*

**read-  
branching**

*x* := 2

*a* := *x*

*x* := 2

*b* := *y*

*x* := 3

*c* := *y*

*x* := 4

**schedule**

*x* := 2

*a* := 0

*a* := 2

*init*<sup>x</sup>  
↓rf

a := 0    x := 2

a := x

x := 2

b := y  
x := 3

c := y  
x := 4

schedule

x := 2

a := 0

a := 2

*init*<sup>x</sup>  
↓rf

a := 0

x := 2

a := x

x := 2

b := y  
x := 3

c := y  
x := 4

schedule

x := 2

a := 0

a := 2

*init*  
rf

a := 0    x := 2

a := x

x := 2

b := y

x := 3

c := y

x := 4

schedule

x := 2

a := 0

a := 2

*init*  
rf

a := 0    x := 2

a := x

x := 2

b := y  
x := 3

c := y  
x := 4


schedule


x := 2


a := 0


a := 2


b := 0







































**schedule**    **schedule**













**schedule**    ~~schedule~~








**schedule    schedule**














































































































**schedule**    **schedule**




**postponed  
write**









**schedule**    **schedule**







**postponed  
write**













**schedule**    **schedule**

















**schedule**










**schedule**















**schedule**

*x := 2*

*a := 0*

*a := 2*

*b := 0*

*c := 0*

*b := 0*

*c := 0*

*x := 3*

*x := 4*

*x := 3*

*x := 4*

*a := 3*

*a := 4*

*c := 0*






*b := 0*




*c := 0*




*x := 4*




*x := 3*




*x := 4*
















































| Tool       | Wrong answer | Execs          | Time         | Average Execs<br>(Execs/Nums of tests) | Average Time<br>(Time/Execs) |
|------------|--------------|----------------|--------------|--|------------------------------|
| CDSCHECKER | 0            | 2 383 704      | 6m28s        | 295.59                                 | <b>0.16ms</b>                |
| RCMC/Rc11  | 0            | 727 942        | 14m00s       | 90.27                                  | 1.15ms                       |
| RCMC/WRC11 | 81           | 668 574        | 12m15s       | 82.91                                  | 1.10ms                       |
| TRACER     | 0            | <b>521 288</b> | <b>3m03s</b> | <b>64.64</b>                           | 0.35ms                       |

## Litmus Tests

| Program        | LB | Executions Explored |              |              | Total Running Time |        |               |
|----------------|----|---------------------|--------------|--------------|--------------------|--------|---------------|
|                |    | CDSCHECKER          | RCMC         | TRACER       | CDSCHECKER         | RCMC   | TRACER        |
| Indexer(13)    | 20 | 190                 | 64           | 64           | 0.15s              | 0.62s  | <b>0.04s</b>  |
| Indexer(14)    | 20 | 3 075               | 512          | 512          | 2.72s              | 11.68s | <b>0.38s</b>  |
| Indexer(15)    | 20 | 48 261              | <b>4 096</b> | <b>4 096</b> | 45.32s             | 4m22s  | <b>2.98s</b>  |
| Indexer(16)    | 20 | 740 889             | t/o          | 32 768       | 12m21s             | t/o    | <b>25.78s</b> |
| Filesystem(16) | 20 | 27                  | 8            | 8            | 0.04s              | 0.05s  | <b>0.01s</b>  |
| Filesystem(19) | 20 | 728                 | 64           | 64           | 0.52s              | 2.02s  | <b>0.03s</b>  |
| Filesystem(22) | 20 | 19 678              | 512          | 512          | 13.53s             | 2m29s  | <b>0.33s</b>  |
| Filesystem(25) | 20 | 531 415             | t/o          | <b>4096</b>  | 7m04s              | t/o    | <b>3.12s</b>  |

## Standard Benchmarks

| Program      | LB | Executions Explored |                  |                   | Total Running Time |               |               |
|--------------|----|---------------------|------------------|-------------------|--------------------|---------------|---------------|
|              |    | CDSCHECKER          | Rcmc             | Tracer            | CDSCHECKER         | Rcmc          | Tracer        |
| Pthread_demo | 10 | 184 758             | <b>184 756</b>   | <b>184 756</b>    | 24.96s             | 1m03s         | <b>18.00s</b> |
| Gcd          | 8  | 8 814 044           | <b>1 162 333</b> | <b>1 162 333</b>  | 38m20s             | 7m07s         | <b>2m48s</b>  |
| Fibonacci    | 6  | <i>t/o</i>          | <b>525 630</b>   | <b>525 630</b>    | <i>t/o</i>         | <b>31.06s</b> | 57.95s        |
| Szymanski    | 6  | <i>t/o</i>          | 26 037 490       | <b>12 209 410</b> | <i>t/o</i>         | 44m52s        | <b>14m54s</b> |
| Dekker       | 10 | 7 306 447           | <b>3 121 870</b> | <b>3 121 870</b>  | 15m25s             | 5m12s         | <b>4m52s</b>  |
| Lamport      | 8  | <i>t/o</i>          | 6 580 870        | <b>3 372 868</b>  | <i>t/o</i>         | 14m40s        | <b>6m58s</b>  |
| Sigma(5)     | 5  | 1 279               | 945              | <b>120</b>        | 0.09s              | 0.16s         | <b>0.01s</b>  |
| Peterson     | 6  | <i>t/o</i>          | <b>1 897 228</b> | <b>1 897 228</b>  | <i>t/o</i>         | 3m16s         | <b>3m15s</b>  |
| Stack_true   | 12 | 2 704 157           | <b>2 704 156</b> | <b>2 704 156</b>  | 19m03s             | 54m25s        | <b>10m12s</b> |
| Queue_ok     | 12 | 581 790             | <i>t/o</i>       | <b>362 880</b>    | 33m27s             | <i>t/o</i>    | <b>12m52s</b> |

SV-COMP

| Program                | Executions Explored |            |              | Total Running Time |            |              |
|------------------------|---------------------|------------|--------------|--------------------|------------|--------------|
|                        | CDSCHECKER          | Rcmc       | Tracer       | CDSCHECKER         | Rcmc       | Tracer       |
| N_writers_a_reader(7)  | <b>8</b>            | 40 320     | <b>8</b>     | 0.01s              | 0.46s      | <b>0.00s</b> |
| N_writers_a_reader(8)  | <b>9</b>            | 362 880    | <b>9</b>     | 0.01s              | 4.19s      | <b>0.00s</b> |
| N_writers_a_reader(9)  | <b>10</b>           | 3 628 800  | <b>10</b>    | 0.01s              | 46.13s     | <b>0.00s</b> |
| N_writers_a_reader(10) | <b>11</b>           | 39 916 800 | <b>11</b>    | 0.01s              | 9m35s      | <b>0.00s</b> |
| Redundant_co(5)        | 581                 | 16 632     | <b>91</b>    | 0.03s              | 0.39s      | <b>0.01s</b> |
| Redundant_co(10)       | 10 631              | 42 678 636 | <b>331</b>   | 0.64s              | 23m56s     | <b>0.02s</b> |
| Redundant_co(15)       | 59 056              | <i>t/o</i> | <b>721</b>   | 4.57s              | <i>t/o</i> | <b>0.06s</b> |
| Redundant_co(20)       | 197 231             | <i>t/o</i> | <b>1 261</b> | 20.27s             | <i>t/o</i> | <b>0.14s</b> |

Synthetic Programs

| Program            | LB | Executions Explored |            |                | Total Running Time |            |               |
|--------------------|----|---------------------|------------|----------------|--------------------|------------|---------------|
|                    |    | CDSCHECKER          | RCMC       | TRACER         | CDSCHECKER         | RCMC       | TRACER        |
| Sigma(6)           | 6  | 25 357              | 10 395     | <b>720</b>     | 2.20s              | 1.96s      | <b>0.04s</b>  |
| Sigma(7)           | 7  | 605 714             | 135 135    | <b>5 040</b>   | 1m02s              | 29.06s     | <b>0.40s</b>  |
| Sigma(8)           | 8  | 16 667 637          | 2 027 025  | <b>40 320</b>  | 33m18s             | 8m02s      | <b>3.28s</b>  |
| Sigma(9)           | 9  | <i>t/o</i>          | <i>t/o</i> | <b>362 880</b> | <i>t/o</i>         | <i>t/o</i> | <b>33.59s</b> |
| Control_flow(6)    | 0  | 896                 | 55 440     | 77             | 0.09s              | 1.97s      | <b>0.01s</b>  |
| Control_flow(8)    | 0  | 4 608               | 11 007 360 | <b>273</b>     | 0.53s              | 7m58s      | <b>0.03s</b>  |
| Control_flow(10)   | 0  | 22 528              | <i>t/o</i> | <b>1 045</b>   | 3.27s              | <i>t/o</i> | <b>0.16s</b>  |
| Control_flow(12)   | 0  | 106 496             | <i>t/o</i> | <b>4 121</b>   | 19.10s             | <i>t/o</i> | <b>0.79s</b>  |
| Exponential_bug(6) | 6  | 983 386             | 1 203 446  | <b>15 601</b>  | 1m18s              | 56.75s     | <b>0.96s</b>  |
| Exponential_bug(7) | 7  | 2 250 290           | 2 833 112  | <b>22 841</b>  | 3m13s              | 2m26s      | <b>1.46s</b>  |
| Exponential_bug(8) | 8  | 4 844 378           | 6 158 718  | <b>32 313</b>  | 7m15s              | 5m28s      | <b>2.23s</b>  |
| Exponential_bug(9) | 9  | 9 896 954           | 12 526 576 | <b>44 428</b>  | 15m29s             | 11m48s     | <b>3.22s</b>  |

## Parameterized Programs

| Program              | LB | Executions Explored |                |                | Total Running Time |              |               |
|----------------------|----|---------------------|----------------|----------------|--------------------|--------------|---------------|
|                      |    | CDSCHECKER          | RCMC           | TRACER         | CDSCHECKER         | RCMC         | TRACER        |
| Linux_locks(2)       | 6  | 47                  | <b>21</b>      | <b>21</b>      | 0.03s              | 0.02s        | <b>0.01s</b>  |
| Linux_locks(3)       | 6  | 14 187 799          | <b>412 814</b> | <b>412 814</b> | 16m01s             | 36.36s       | <b>33.21s</b> |
| Ticket_mutex_c11(3)  | 10 | 8 054               | <b>4 026</b>   | <b>4 026</b>   | 0.69s              | 50.76s       | <b>0.25s</b>  |
| Correia_Ramalhete(3) | 5  | <b>5 355</b>        | <b>5 355</b>   | <b>5 355</b>   | 1.10s              | <b>0.77s</b> | 0.92s         |

## Concurrent Data Structures

| Program                                | LB | Executions Explored |                | Total Running Time |               |
|--|----|---------------------|----------------|--------------------|---------------|
|  |    | CDSCHECKER          | TRACER         | CDSCHECKER         | TRACER        |
| Barrier(3)                             | 10 | 62 649              | <b>31 944</b>  | 5.45s              | <b>1.88s</b>  |
| Seqlock(3)                             | 5  | 17 792              | <b>14 864</b>  | 1.17s              | <b>0.77s</b>  |
| MPMC_queue(3)                          | 5  | 621 882             | <b>239 254</b> | 2m11s              | <b>44.50s</b> |
| MCS_lock(2)                            | 5  | 92 210              | <b>70 072</b>  | 8.91s              | <b>5.19s</b>  |
| Cliffc_hashtable(4)                    | 0  | 9 520               | <b>4 576</b>   | 2.68s              | <b>0.94s</b>  |
| Concurrent_hashmap(4)                  | 0  | 110                 | <b>42</b>      | 0.01s              | <b>0.00s</b>  |
| Chase_Lev_deque(2) ( <b>deadlock</b> ) | 0  | 162 306             | <b>20 852</b>  | 20.65s             | <b>2.10s</b>  |
| SPSC_queue(2) ( <b>deadlock</b> )      | 3  | 754                 | <b>57</b>      | 0.18s              | <b>0.01s</b>  |

## Concurrent Data Structures

| Program   | LB | Executions Explored |               | Total Running Time |               |
|---|----|---------------------|---------------|--------------------|---------------|
|   |    | CDSCHECKER          | TRACER        | CDSCHECKER         | TRACER        |
| Tidex(3)  | 5  | 4 676               | <b>748</b>    | 0.37s              | <b>0.04s</b>  |
| Tidex_nps(2)                                      | 5  | 10 257              | <b>10 254</b> | 6m15s              | <b>22.58s</b> |
| CLH_c11(3)  | 10 | 2 562               | <b>732</b>    | 0.22s              | <b>0.06s</b>  |
| CLH_rwlock_c11(3)                                 | 10 | 20                  | <b>6</b>      | 0.01s              | <b>0.00s</b>  |
| MPSC_c11(3)                                       | 10 | 12 937              | <b>4 824</b>  | 1.20s              | <b>0.36s</b>  |
| Correia_Ramalhete_turn(3) ( <b>mutex broken</b> ) | 2  | 441 494             | <b>96 184</b> | 1m17s              | <b>12.78s</b> |

## Concurrent Data Structures

# Conclusions

- **(Optimal) DPOR**
- **Release-Acquire Semantics**
- **Experiments**

# Conclusions

- **(Optimal) DPOR**
- **Release-Acquire Semantics**
- **Experiments**

# Future Work

- **Other Memory Models**
  - **Full C11, SC, TSO, POWER, ARM, Causal Consistency, ...**
- **Weaker Notions of Traces**
- **Other Properties:**
  - **Race Detection**
  - **Liveness: Progress, Termination, ...**